



GEOLOKTM SAFETY DATA SHEET

Compliant SDS for GHS: HazCom 2012 / United States; WHMIS 2015 / Canada.

SECTION 1: IDENTIFICATION		
Supplier/Manufacturer: Huntsman Building Solutions 3315 E. Division Street, Arlington, TX 76011 Phone: 817-640-4900 / Fax: 817-633-2000 E-mail: info@huntsmanbuilds.com Website: www.huntsmanbildingsolutions.com	GHS Product Identifier: Geolok Chemical Name: Polyurethane Resin B-side. Product type: Liquid. Identified Use: Component B of a Spray-Applied System.	Polyurethane
Emergency Telephone (24/7): CANUTEC 613-996-6666 or *666 (cellular).		

3 1 (,	` '	
SECTION 2: HAZARDS IDENTIFIC	CATION	
OSHA / HCS Status	This material is classified hazardous under OSHA Hazard Communication Standard (29 CFR 1910.1200).	
Classification of the Substance or Mixture	SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITISATION - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 TOXIC TO REPRODUCTION (Fertility) - Category 1A TOXIC TO REPRODUCTION (Unborn child) - Category 1A AQUATIC HAZARD (ACUTE) - Category 3 AQUATIC HAZARD (LONG-TERM) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (Kidney, Liver, Central nervous system) - Category 2	
GHS LABEL ELEMENTS INCLUDING	PRECAUTIONARY STATEMENTS	
Hazard Pictograms		
Signal Word	DANGER	
Hazard Statements	H318 - Causes serious eye damage. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H360 - May damage fertility or the unborn child. H412 - Harmful to aquatic life with long lasting effects. H373: May cause damage to organs through prolonged or repeated exposure.	
PRECAUTIONARY STATEMENTS		
Prevention	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear protective gloves. Wear eye or face protection. P264 - Wash hands thoroughly after handling. P260: Do not breathe dust/fumes/gas/mist/vapours/spray. P272: Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment.	
Response	P308 + P313 - IF exposed or concerned: Get medical attention. P302+352: IF ON SKIN: Wash with plenty of water. P362: Take off contaminated clothing. P363: Wash contaminated clothing before reuse.	

	P332 + P313 - If skin irritation occurs: Get medical attention. P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.	
Storage	P405 - Store locked up.	
Disposal	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.	
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)		
Physical Hazards Not Otherwise Classified (PHNOC)	None known.	
Health Hazards Not Otherwise Classified (HHNOC)	None known.	

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS		
Substance/Mixture Mixture.		
Chemical Name	Polyurethane Resin B-side.	
CAS NUMBER/OTHER IDENTIFIERS		
CAS Number	Not applicable.	
Product Code	Not available.	

INGREDIENTS	CAS#	%
tris(2-Chloro-1-methylethyl) phosphate	13674-84-5	≥1 - <5
Diethylene glycol	111-46-6	≥1 - <5
N,N-Bis[3-(diméthylamino)propyl]-N',N'-diméthylpropane-1,3-diamine	33329-35-0	≥0.1- <5
Tetraethylene glycol	112-60-7	≥0.1 - <5
Bis(2-diméthylaminoéthyl)méthanamine	3030-47-5	≥0.1 - <5
N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	≥0.1 - <5
Dibutyltin dilaurate	77-58-7	≥0.1 - <5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: FIRST AID MEASURES	
DESCRIPTION OF NECESS	SARY FIRST AID MEASURES
General advice	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Treat symptomatically. Get medical attention if symptoms occur.
Eye Contact	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Maintain an open airway. Get medical attention if symptoms occur.
Skin Contact	Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	Keep respiratory tract clear. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED	

Eye Contact	Causes serious eye damage.	
Inhalation	May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.	
Skin Contact	Causes skin irritation. May cause an allergic skin reaction.	
Ingestion	No known significant effects or critical hazards.	
OVER-EXPOSURE SIGNS/SYMPT	гомѕ	
Eye Contact	Adverse symptoms may include the following: pain or irritation, watering, redness.	
Inhalation	Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations.	
Skin Contac	Adverse symptoms may include the following: pain or irritation, redness, blistering may occur, reduced fetal weight, increase in fetal deaths, skeletal malformations.	
Ingestion	Adverse symptoms may include the following: stomach pains, reduced fetal weight, increase in fetal deaths, skeletal malformations.	
INDICATION OF IMMEDIATE MED	DICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY	
Notes to Physician	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	
Specific Treatments	No specific treatment.	
Protection of First-aiders	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.	

See toxicological information (Section 11)

POTENTIAL ACUTE HEALTH EFFECTS

SECTION 5: FIRE FIGHTING MEASURES		
Suitable Extinguishing Media	Use dry chemical, CO2, water spray (fog) or foam.	
Unsuitable Extinguishing Media	None known.	
Specific Hazards Arising from the Chemical	This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.	
Hazardous Thermal Decomposition Products	Combustion products may include carbon monoxide, carbon dioxide, nitrogen oxides, tin oxides, halogenated compounds, traces of ammonia vapors, aldehydes and ketones, low molecular weight organic products.	
Special Protective Actions for Fire Fighters	No special measures are required.	
Special Protective Equipment for Fire Fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

SECTION 6: ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTIONS, PROTEC	TIVE EQUIPMENT AND EMERGENCY PROCEDURES
For Non-emergency Personnel	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For Emergency Responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental Precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	
Spill	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose

the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

SECTION 7: HANDLING AND STORAGE			
PRECAUTIONS FOR SAFE HANDLIN	PRECAUTIONS FOR SAFE HANDLING		
Protective Measures	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.		
Advice on General Occupational Hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.		
Conditions for Safe Storage Including any Incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.		
Storage Temperature	15 – 25°C (59 – 77°F) (minimum – maximum).		
Storage Life	6 Months.		

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION
CONTROL PARAMETERS

UNITED STATES

OCCUPATIONAL EXPOSURE LIMITS

INGREDIENT NAME	Exposure Limits
N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	ACGIH TLV (United States, 4/2014). Absorbed through skin. STEL: 0.15 ppm 15 minutes. TWA: 0.05 ppm 8 hours.
Dibutyltin dilaurate	ACGIH TLV (United States, 3/2015). Absorbed through skin. TWA: 0.1 mg/m³, (as Sn) 8 hours. STEL: 0.2 mg/m³, (as Sn) 15 minutes. NIOSH REL (United States, 10/2013). Absorbed through skin. TWA: 0.1 mg/m³, (as Sn) 10 hours. OSHA PEL (United States, 2/2013). TWA: 0.1 mg/m³, (as Sn) 8 hours.

CANADA

OCCUPATIONAL EXPOSURE LIMITS		TWA (8 HOURS)		STEL (15 MINS		CEILING					
INGREDIENTS NAME	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
N,N,N',N'-tetramethyl-	US ACGIH 4/2014	0.05	-	-	0.15	-	-	-	-	-	(1)
2,2' oxybis(ethylamine)	AB 4/2009	0.05	0.3	-	0.15	0.98	-	-	-	-	(1)
	BC 7/2013	0.05	-	-	0.15	-	-	-	-	-	(1)
	ON 1/2013	0.05	-	-	0.15	-	-	-	-	-	(1)

Absorbed through skin.

Appropriate Engineering Controls	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.	
Environmental Exposure Controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.	
INDIVIDUAL PROTECTION	MEASURES	
Hygiene Measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially	

	contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/Face Protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Hand Protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body Protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other Skin Protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES				
Physical State	Not available.			
Color	Not available.			
Odor	Not available.			
Odor Threshold	Not available.			
рН	Not available.			
Melting Point	Not available.			
Boiling Point	Not available.			
Flash Point	Closed Cup: >93°C (>200°F) [Pensky-Martens].			
Evaporation Rate	Not available.			
Flammability (Solid, Gas)	Not available.			
Lower and Upper Explosive (Flammable) Limits	Not available.			
Vapor Pressure	Not available.			
Vapor Density	Not available.			
Specific Gravity @ 25°C (77°F)	Not available.			
Solubility	Moderately soluble in water.			
Partition Coefficient: N-Octanol/Water	Not available.			
Auto-Ignition Temperature	Not available.			
Decomposition Temperature	Not available.			
Viscosity @ 25°C (77°F) (cps)	Not available.			
Volatility	Not available.			

SECTION 10: STABILITY AND	SECTION 10: STABILITY AND REACTIVITY		
Reactivity	No specific test data related to reactivity available for this product or its ingredients.		
Chemical Stability	The product is stable.		
Possibility of Hazardous Reactions	Under normal conditions of storage and use, hazardous reactions will not occur.		
Conditions to Avoid	Avoid exposure to moisture and high temperatures to protect product quality.		
Incompatible Materials	Strong oxidizing materials, strong acids and alkali or alkaline earth metals (aluminum, zinc, beryllium and copper). Avoid unintended contact with isocyanates.		
Hazardous Decomposition Products	Decomposition products may include carbon monoxide, carbon dioxide, nitrogen oxides, tin oxides, halogenated compounds, traces of ammonia vapors, aldehydes and ketones, low molecular weight organic products.		

SECTION 11: TOXICOLOGICAL INFOR	MATION				
INFORMATION ON TOXICOLOGICAL EFFE	стѕ				
ACUTE TOXICITY					
PRODUCT / INGREDIENT NAME	Endpoint	Species	Result		Exposure
tris(2-Chloro-1-methylethyl) phosphate	LC50 Inhalation Dusts and mists	Rat	17.8 mg/l		1 hour
	LC50 Inhalation Dusts and mists	Rat	5 mg/l		4 hours
	LD50 Dermal	Rabbit	1230 mg	/kg	-
	LD50 Oral	Rat	1500 mg	/kg	-
N,N,N',N'-tetramethyl-2,2'- oxybis(ethylamine)	LD50 Oral	Rat	571 mg/k	<g< td=""><td>-</td></g<>	-
IRRITATION / CORROSION					
PRODUCT / INGREDIENT NAME	Result	Species	Score	Exposure	Observation
N,N,N',N'-tetramethyl-2,2'-oxybis	Eyes - Severe irritant	Rabbit	-	24 h 250 μg	-
(ethylamine)	Eyes - Severe irritant	Rabbit	-	1 mg	-
	Skin - Severe irritant	Rabbit	-	24 h 5 mg	-
	Skin - Severe irritant	Rabbit	-	500 mg	-
Dibutyltin dilaurate	Eyes - Moderate irritant	Rabbit	-	24 h. 100 mg	-
	Skin - Severe irritant	Rabbit	-	500 mg	-
SENSITIZATION	•			•	
There is no data available.					
CARCINOGENICITY					
There is no data available.					
MUTAGENICITY					
There is no data available.					
DEVELOPMENTAL EFFECTS					
There is no data available.					
TERATOGENICITY					
There is no data available.					
SPECIFIC TARGET ORGAN TOXICITY (SIN	GLE EXPOSURE)				
There is no data available.					
SPECIFIC TARGET ORGAN TOXICITY (REF	PEATED EXPOSURE)				
PRODUCT / INGREDIENT NAME	Category	Route of Exposure	Э	Target Organs	1
Dibutyltin dilaurate	Category 2 Not determined. Not determined,				
ASPIRATION HAZARD					
There is no data available.					
INFORMATION ON THE LIKELY ROUTES O					
Dermal contact. Eye contact. Inhalation. I	ngestion.				
POTENTIAL ACUTE HEALTH EFFECTS					
Eye Contact	Causes serious eye damage.				
Inhalation	May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.				
Skin Contact	Causes skin irritation. May cause an allergic skin reaction.				
Ingestion	No known significant effects or crit	ical hazards.			

SYMPTOMS RELATED TO THE PHYS	CICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS
Eye Contact	Adverse symptoms may include the following: pain or irritation, watering, redness.
Inhalation	Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations.
Skin Contact	Adverse symptoms may include the following: pain or irritation, redness, blistering may occur, reduced fetal weight, increase in fetal deaths, skeletal malformations.
Ingestion	Adverse symptoms may include the following: stomach pains, reduced fetal weight, increase in fetal deaths, skeletal malformations.
DELAYED AND IMMEDIATE EFFECTS	S AND ALSO CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE
SHORT TERM EXPOSURE	
Potential Immediate Effects	No known significant effects or critical hazards.
Potential Delayed Effects	No known significant effects or critical hazards.
LONG TERM EXPOSURE	•
Potential Immediate Effects	No known significant effects or critical hazards.
Potential Delayed Effects	No known significant effects or critical hazards.
POTENTIAL CHRONIC HEALTH EFF	ECTS
General	No known significant effects or critical hazards.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	May damage the unborn child.
Developmental Effects	No known significant effects or critical hazards.
Fertility Effects	May damage fertility.
NUMERICAL MEASURES OF TOXICIT	TY - ACUTE TOXICITY ESTIMATES
There is no data available.	

SECTION 12: ECOLOGICAL INFORMATION					
TOXICITY					
Dibutyltin dilaurate	Chronic EC10 >2 mg/l Fresh water	Algae - Scenedesmus subspicatus	96 hours		
PERSISTENCE AND DEGRADABILITY	тү				
There is no data available.					
BIOACCUMULATIVE POTENTIAL	BIOACCUMULATIVE POTENTIAL				
PRODUCT / INGREDIENT NAME	LogPow	BCF	Potential		
tris(2-Chloro-1-methylethyl) phosphate	2.68	0.8 to 2.8	low		
Dibutyltin dilaurate	4.44	2.91	low		
MOBILITY IN SOIL					
Soil/Water Partition Coefficient (K_{∞})	There is no data available.				
Other Adverse Effects	No known significant effects or critical hazards.				

SECTION 13: DISPOSAL CONSIDE	RATIONS
Disposal Methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid

dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	
i dispersal di spilledi itialenal and fundii and contact with soll, waterways, dialis and sewers.	

SECTION 14: TRANSPORTATIO	ON INFORMATION
DOT	
UN Number	Not regulated.
UN Proper Shipping Name	-
Transport Hazard Class(es)	-
Packing Group	-
Environmental Hazard	No.
Additional Information	-
TDG	
UN Number	Not regulated.
UN Proper Shipping Name	-
Transport Hazard Class(es)	-
Packing group	-
Environmental hazard	No.
Additional information	-
IMDG	
UN Number	Not regulated.
UN Proper Shipping Name	-
Transport Hazard Class(es)	-
Packing Group	-
Environmental Hazard	No.
Additional Information	-
IATA	
UN Number	Not regulated.
UN Proper Shipping Name	-
Transport Hazard Class(es)	-
Packing Group	-
Environmental Hazard	No.
Additional Information	-

AERG: Not applicable.

Special Precautions for User	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code	Not available.

SECTION 15: REGULATORY INFO	RMATION
United States	
U.S. Federal Regulations	United States inventory (TSCA 8b): All components are listed or exempted. HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61): Diethylene glycol.
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	Listed.
Clean Air Act Section 602 Class I	Not listed.

Substances						
Clean Air Act Section 602 Class II Substances	Not listed.					
DEA List I Chemicals (Precursor Chemicals)	Not listed.					
DEA List II Chemicals (Essential Chemicals)	Not listed.					
SARA 302/304	No products	were found.				
SARA 304 RQ	Not applicat	ole.				
SARA 311/312						
CLASSIFICATION						
Immediate (acute) health hazard. Dela	ayed (chronic)	health hazard.				
COMPOSITION/INFORMATION ON INC	GREDIENTS					
PRODUCT / INGREDIENT NAME	%	Fire Hazard	Sudden Release of Pressure	Reactive	Immediate(Acute) Health Hazard	Delayed (Chronic) Health Hazard
tris(2-Chloro-1-methylethyl) phosphate	≥1 - <5	No.	No.	No.	Yes.	No.
Diethylene glycol	≥1 - <5	No.	No.	No.	Yes.	No.
N,N-Bis[3-(diméthylamino)propyl]- N',N'-diméthylpropane-1,3-diamine	≥0.1- <5	No.	No.	No.	Yes.	No.
Tetraethylene glycol	≥0.1 - <5	No.	No.	No.	Yes.	No.
Bis(2-diméthylaminoéthyl) méthanamine	≥0.1 - <5	Yes.	No.	No.	Yes.	NO
N,N,N',N'-tetramethyl-2,2'- oxybis(ethylamine)	≥0.1 - <5	Yes.	No.	No.	Yes.	No.
Dibutyltin dilaurate	≥0.1 - <5	No.	No.	No.	Yes.	Yes.
SARA 313						
No products were found.						
STATE REGULATIONS						
Massachusetts	None of the	components are	listed.			
New York	None of the	components are	listed.			
New Jersey	The following	g components ar	e listed: N,N,N',	N'-tetramethyl-	-2,2'-oxybis(ethylamine)	
Pennsylvania	None of the	components are	listed.			
California Prop. 65	which is/are				ding 1,4-dioxane, aceta er. For more information	
CANADA						
CANADIAN LISTS						
Canadian NPRI	None of the	components are	listed.			
CEPA Toxic Substances	None of the	components are	listed.			
Canada Inventory	All compone	nts are listed or	exempted.			

SECTION 16: OTHER INFORMATIO	N
HISTORY	
Prepared by	Huntsman Building Solutions Inc Technical Department.
Preparation Date (y-m-d)	2020-02-04

Current Issue Date (y-m-d) 2020-02-04

Notice to reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

