

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** Oatey Fix-It™ Stick Epoxy Putty

Other means of identification

**Product code** 1791E

**Synonyms** Part Numbers: 31270, 31274

Recommended use Epoxy based sealant.

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** Oatey Inc.

**Address** 4700 West 160th Street

Cleveland, OH 44135

**Telephone** 216-267-7100 E-mail info@oatey.com

Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887) **Transport Emergency** 

1-877-740-5015 **Emergency First Aid** MSDS Coordinator Contact person

## 2. Hazard(s) identification

**Physical hazards** Not Classified.

**Health hazards** Cat 2B Skin corrosion/irritation

Cat 2B Serious eye damage/eye irritation Skin sensitization Cat 1

**OSHA** defined hazards Not Classified

Label elements



Signal word Warning!

Hazard statement Causes skin and eye irritation. May cause an allergic skin reaction.

**Precautionary statement** 

Prevention Wear protective gloves. Wear eye or face protection. Avoid breathing dust. Wash hands

thoroughly after handling. Contaminated work clothing should not be allowed out of the

Response IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash

> contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage Not applicable.

Disposal Dispose of contents and container in accordance with all local, regional, national and

International regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Oatey Fix-It Stick SDS US

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin	25068-38-6	10 – 30
2,4,6-tris(dimethylaminomethyl)phenol	90-72-2	1 – 5
crystalline silica non-respirable	14808-60-7	0.1 - 1

<sup>\*</sup>Designates that a specific chemical identity and or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not

breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-tomouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to

be kept under medical surveillance for 48 hours.

Skin contact Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash

> contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms. avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

> Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical

attention.

Ingestion Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest

serious eye irritation. Irritating to mouth, throat and stomach.

in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

delayed following exposure. Causes skin irritation. May cause an allergic skin reaction. Causes

Exposure to decomposition products may cause a health hazard. Serious effects may be

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The

exposed person may need to be kept under medical surveillance for 48 hours.

None known.

Most important symptoms/effects, acute and delayed

Indication of immediate medical

attention and special treatment Needed

**General information** 

None

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Eye contact

No specific fire or explosion hazard.

Use an existing agent suitable for surrounding fire.

Special protective equipment

and precautions for firefighters

Fire-fighting equipment/instructions

Specific methods None General fire hazards None

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a

fire. No action shall be taken involving any personal risk or without suitable training.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Methods and materials for If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency

personnel".

Large Spills: Move containers from spill area. Approach release from upwind. Prevent entry into

Oatev Fix-It Stick SDS # 7375E Version #: 02 Revision date: 08-June-2020 Issue Date: 11-May-2015

#### containment and cleaning up

sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Small Spills: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

#### **Environmental precautions**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## 7. Handling and storage

#### Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# Conditions for safe storage, including any incompatibilities

Do not store above the following temperature: 35°C (95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. Exposure controls/personal protection

### Occupational exposure limits

### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
crystalline silica non-respirable (CAS 14808-60-7)	PEL	10 mg/M3
US. ACGIH Threshold Limit Values		
Components	Туре	Value
crystalline silica non-respirable (CAS 14808-60-7)	Ceiling	0.025 mg/m^3
US. NIOSH: Pocket Guide to Chemical Hazards		
Components	Туре	Value
crystalline silica non-respirable (CAS 14808-60-7)	Ceiling	0.05 mg.m^3

**Biological limit values** 

No Biological limits.

Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne

contaminants.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be

Oatey Fix-It Stick

accurately estimated.

Other Appropriate footwear and any additional skin protection measures should be selected based on

the task being performed and the risks involved and should be approved by a specialist before

handling this product.

**Respiratory protection**Use a properly fitted, particulate filter respirator complying with an approved standard if a risk

assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

Thermal hazards None.

General hygiene considerations

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### 9. Physical and chemical properties

**Appearance** 

Physical stateSolid.FormRod

Color White/Beige
Odor Sulfurous
Odor threshold Not available.
pH Not Applicable
Melting point/freezing point Not available.
Initial boiling point and boiling Not determined

range

Flash point
Upper/lower flammability or explosive limits
Flammability limit – lower (%)
Flammability limit – upper (%)
Explosive limit - lower (%)
Explosive limit - lower (%)
Vapor pressure
Vapor density
Not Available
Not Available
Not Available
Not Available
Not Available

Relative density 1.95

**Solubility(ies)** Insoluble in the following materials: cold water and hot water.

Solubility (water) Not applicable

**Partition coefficient** 

(n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not Available

>150°C (>302°F)

Not Available

Other information

VOC (Weight %) < 0.1% by weight

10. Stability and reactivity

**Reactivity**No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** The product is stable.

Possibility of hazardous

reaction

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials No specific data.

Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should not be

**products** produced.

#### 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Exposure to decomposition products may cause a health hazard. Serious effects may be

delayed following exposure.

**Skin contact** Causes skin irritation. May cause an allergic skin reaction.

**Eye contact** Causes serious eye irritation.

**Ingestion** Irritating to mouth, throat and stomach.

Symptoms related to the Irritation, pain or redness

Oatey Fix-It Stick SDS US

physical, chemical and toxicological characteristics

# Information on likely routes of exposure

**Acute Toxicity** 

Components Species Results 2,4,6-tris (dimethylaminomethyl)phenol LD50 Dermal 1280 mg/kg Rat LD50 Oral 1200 mg/kg Rat

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation Serious eye damage/eye Direct contact in the eye may cause temporary irritation

irritation

Respiratory or skin sensitization

Respiratory sensitization Not considered a respiratory irritant

Skin sensitization This product is not expected to cause skin irritation.

Germ cell mutagenicity No specific data

Carcinogenicity No known significant effects or critical hazards. Reproductive toxicity No known significant effects or critical hazards.

Specific target organ toxicity

Not Classified. Single exposure Not Classified. Repeated exposure

**Aspiration Hazard** Not an aspiration hazard.

**Chronic effects** Not Classified.

**Further information** Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low

levels.

## 12. Ecological information

**Ecotoxicity** No Specific Data. Persistence and degradability No Specific Data.

Bio accumulative potential

Product/ingredient name	LogPow	BCF	Potential
reaction product: bisphenol-A-(epichlorhydrin); epoxy	2.64 – 3.78	31	low
resin			
2,4,6-tris(dimethylaminomethyl)phenol	.219	-	low

Mobility in soil Not available

Other adverse effects No known significant effects or critical hazards.

#### 13. Disposal considerations

**Disposal instructions** 

Local disposal regulations Disposal of this product, solutions and any by-products should at all times comply with the

requirements of environmental protection and waste disposal legislation and any

regional local authority requirements.

Hazardous waste code Not available

Waste from residues / unused

products

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of

all authorities with jurisdiction.

Contaminated packaging Waste packaging should be recylcled.

#### 14. Transportation information

DOT

**UN** number Not Regulated

**UN Proper Shipping Name** Transportation Hazard

classes

Packing group

IATA Not Regulated

**UN** number

Oatey Fix-It Stick SDS US UN Proper Shipping Name - Transportation Hazard -

classes

Packing group -

**IMDG** 

UN number Not regulated

UN Proper Shipping Name - Transportation Hazard -

classes

Packing group \_

Environmental hazards
Marine polluntant

## 15. Regulatory information

U.S. Federal regulations TSCA 8(a) PAIR: Siloxanes and Silicones, di-Me, reaction products with silica

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 307: zinc sulphide

Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602

Class I Substances

Clean Air Act Section 602

**Class II Substances** 

Not Listed

Not Listed

Not Listed

**SARA 302/304** 

Composition/information on ingredients

No products were found.

SARA 304 RQ Not applicable.

**SARA 311/312** 

Classification Immediate (acute) health hazard

Name	wt %	Fire Hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (Chronic) health hazard
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin	10 – 30	No	No	No	Yes	No
2,4,6-tris(dimethylaminomethyl)phenol	1 – 5	No	No	No	Yes	No
crystalline silica non-respirable	0.1 - 1	No	No	No	No	Yes

#### **Sara 313**

	Product Name	CAS Number	Wt%	
Form R- Reporting requirements	Zinc sulphide	1314-98-3	1-5	

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**US** state regulations

Massachusetts The following components are listed: soapstone, mineral wool fiber

New York None of the components are listed

New Jersey The following components are listed: soapstone; silica quartz, quartz (SiO2); zinc compounds

Pennsylvania The following components are listed: soapstone dust; quartz (SiO2); zinc compounds

Oatey Fix-It Stick SDS US

California Prop 65 This product contains a chemical known to the State of California to cause cancer, birth defects,

or other reproductive harm. (Talc, not containing asbestiform fibers and crystalline silica, non-

repirable)

#### International regulations

Country(s) or region Inventory Name On inventory list (yes/no)\*

CanadaDomestic Substance List (DSL)YesAustraliaAustralian Inventory of Chemical Substances (AICS)YesChinaInventory of Existing Chemical Substances in China (IECSC)YesUnited States & Puerto RicoToxic Substances Control Act (TSCA)Yes

## 16. Other information, including date of preparation or last revision

Issue Date11-May-2015Revision Date08-June-2020

**Version #** 02 - Added 31274

**HMIS Rating** Health:

Flammability: Physical Hazards:

**Disclaimer** HCC Holdings Inc. an Oatey Affiliate cannot anticipate all conditions under which this information

and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

Oatey Fix-It Stick SDS US